

CLAIM AMENDMENTS

1. (Currently amended) Outside rear-view mirror for a motor vehicle comprising a housing accommodating a mirror glass plate and connected with a carrying device having two supporting arms which have a V-shaped course from a base section of the carrying device to the housing, which carrying device is supported on a body of the motor vehicle,

wherein free ends of the supporting arms of the carrying device project into the housing,

wherein each supporting arm has a collar which penetrates ~~an opening one of several separate openings~~ in the housing ~~by means of a collar~~ and the housing rests in the area of ~~the~~ each opening on a shoulder bounding the collar, ~~and~~

wherein the free ends of the supporting arms are connected with carrying elements of the housing, and

wherein the carrying elements are disposed behind the mirror glass plate.

2. (Canceled)

3. (Withdrawn) Outside rear-view mirror according to Claim 1, wherein the housing is made of a plastic material.

4. (Withdrawn) Outside rear-view mirror according to Claim 1, wherein

the carrying device consists of metal.

5. (Canceled)

6. (Withdrawn) Outside rear-view mirror according to Claim 1, wherein the supporting arms have an aerodynamic shape.

7. (Withdrawn) Outside rear-view mirror according to Claim 1, wherein the carrying elements and the housing are produced from one piece.

8. (Withdrawn) Outside rear-view mirror according to Claim 3, wherein the carrying elements and the housing are produced from one piece.

9. (Withdrawn) Outside rear-view mirror according to Claim 4, wherein the carrying elements and the housing are produced from one piece.

10. (Withdrawn) Outside rear-view mirror according to Claim 6, wherein the carrying elements and the housing are produced from one piece.

11. (Currently amended) Outside rear-view mirror assembly for a passenger car comprising:

a mirror housing,

a mirror glass plate supported in the mirror housing,

a carrying device including two supporting arms, which ~~have a U-shaped~~

has a substantially V-shape configuration from a base section of the carrying device to the housing, attachable with the housing, said carrying device being attachable in use to a body part of the passenger car,

wherein the mirror housing and the carrying device are formed of different materials,

wherein each supporting arm has a collar which penetrates ~~an opening~~ one of several separate openings in the mirror housing ~~by means of a collar~~,

wherein the mirror housing rests in the area of ~~the~~ each opening on a shoulder bounding the collar, ~~and~~

wherein free ends of the supporting arms project into the mirror housing and are connected with carrying elements of the mirror housing, and

wherein the carrying elements are disposed behind the mirror glass plate.

12. (Canceled)

13. (Currently amended) ~~Mirror~~ The mirror assembly according to Claim 11, wherein the housing is made of a plastic material.

14. (Currently amended) ~~Mirror~~ The mirror assembly according to Claim 11, wherein the carrying device consists of metal.

15. (Currently amended) ~~Mirror~~ The mirror assembly according to Claim 13, wherein the carrying device consists of metal.

16-17. (Canceled)

18. (Currently amended) Outside rear-view mirror according to Claim 1, wherein the motor vehicle is a passenger car of ~~the~~ a sports car type.

19. (Previously presented) Outside rear-view mirror according to Claim 1, wherein the carrying device and the housing are produced separately from one another.

20. (Withdrawn) Outside rear-view mirror according to Claim 4, wherein the metal is a light-metal diecasting.

21. (Currently amended) ~~Mirror~~ The mirror assembly according to Claim 14, wherein the metal is a light-metal diecasting.

22. (Currently amended) ~~Mirror~~ The mirror assembly according to Claim 15, wherein the metal is a light-metal diecasting.